



www.hpssafety.com



H.P.S. UNION POWER TRADING Co., Ltd





Established in 2003, H.P.S. UNION POWER TRADING Co., Ltd is located in Hangzhou City, Zhejiang Province, China.

Our company is a comprehensive enterprise, specialized in the production of various traffic items, such as traffic barricade lamp, traffic cone, reflective vest, and T-TOP warning bollard. Traffic barrier light and traffic cone are the signature products and sold all over the world.

Our company guarantees that all its clients feel respected, valued and understood, and all projects are treated with the utmost attention and professionalism. The company is committed to building and nurturing long-term relationships with every client, for great relationships is vital to business successes.

H.P.S.:

Honest ----- treat every customer with honesty


Price ----- competitive and reliable price

Service ----- best service for every customer



www.hpssafety.com

DIRECTORY

WARNING LIGHT	01-05	
BARRIER	06-08	
ROAD STUD	09	
BARRIER ACCESSORY	10-11	
WARNING TAPE	12	
SAFETY VEST	13	
SCAFFOLD SAFETY SERIES	14-15	
PERSONAL PROTECTION	16-19	
SAFETY HARNESS	20	

WELCOME TO HPS SAFETY ONLINE
MANUFACTURING FOR SAFETY



www.hpssafety.com

WARNING LIGHT



HPS-BL001

Two positions built-in switch:

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL0071

Two positions built-in switch:

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL0073

Two positions built-in switch:

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL002N

Two positions built-in switch:

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL0022

Two positions built-out switch:

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL002T

Three positions external switch:

1) Flashing Mode (All day)

2) Flashing Mode
(Automatically flash in dark condition and automatically close in day)

3) OFF



HPS-BL0025

Two positions built-in switch:

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL002B

Three positions built-in switch:

1) Steady Mode (All day)

2) Flashing Mode
(Automatically flash in dark condition and automatically close in day)

3) OFF



HPS-BL0022S

Two positions built-out switch:

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL010S

One positions built-out switch :

1) Flashing Mode

2) Explosion-flashing

3) Steady

(Automatically flash in dark condition and automatically close in day)

4) OFF



HPS-BL010SL

One positions built-out switch :

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL002NS

Two positions built-in switch:

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL0023S

One positions built-out switch :

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL0051S

One built-in switch for control

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL0053S

One built-in switch for control

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) OFF



HPS-BL0083C

One positions built-out switch:

1) Flashing Mode

(Automatically flash in dark condition and automatically close in day)

2) Explosion-flashing

3) OFF



HPS-BL0074

Two positions built-in switch:

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)
- 2) OFF



HPS-BL0072

Two positions built-in switch:

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)
- 2) OFF



HPS-BL007

Two positions built-in switch:

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)
- 2) OFF



HPS-BL004

Rotation the Lens to control open or close lamp

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)
- 2) OFF



HPS-BL0041

Rotation the Lens to control open or close lamp

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)
- 2) OFF



HPS-BL0042

Rotation the Lens to control open or close lamp

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)



HPS-BL00521

one positions built-out switch:

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)
- 2) OFF



HPS-BL00522

one positions built-out switch:

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)
- 2) OFF



HPS-BL00523

one positions built-out switch:

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)
- 2) OFF



HPS-BL0052

No switch (controlled by sunlight)

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)
- 2) OFF



HPS-BL0051

No switch (controlled by sunlight)

- 1) Flashing Mode
(Automatically flash in dark condition and automatically close in day)
- 2) OFF



www.hpsafety.com

WARNING LIGHT



HPS-BL006D

One built-in switch for control
different working mode

1) Flashing Mode

(Automatically flash in dark condition and
automatically close in day)

2) Steady Light Mode

(All day)

3) OFF



HPS-BL006DN

One built-in switch for control
different working mode

1) Flashing Mode

(Automatically flash in dark condition and
automatically close in day)

2) Steady Light Mode

(All day)



HPS-BL006V

One position built-out switch :

1) Flashing Mode

(Automatically flash in dark condition and
automatically close in day)

2) Steady

3) OFF



Nominal Voltage: 6volt



Model No	Size	Working Style
HPS-W030331R	38cm(L)x33cm(Dia)	Red Flashing-Green Flashing-OFF



SPECIAL CUSTOMIZED FOR CLIENT



Model No	Size	Working Style
HPS-WB26401RG	26.5cm(L)x4cm(Dia.)	Red Steady-OFF-Green Steady-OFF
HPS-WB26402RG	26.5cm(L)x4cm(Dia.)	Red Flashing-Red Steady-Green Steady-OFF



Model No	Size	Working Style
HPS-WB39401	39cm(L)x4cm(Dia.)	Red Flash-Red Steady-OFF
HPS-WB39402	39cm(L)x4cm(Dia.)	Torch-Torch with Red Blink-Red Blink-Red Steady-Green Steady Light-OFF



Model No	Size	Working Style
HPS-WB54401	54cm(L)x4cm(Dia.)	Red Flash-Red Steady-OFF
HPS-WB54402	54cm(L)x4cm(Dia.)	Red Flash-Red Steady-Torch(On Top)-OFF
HPS-WB54403	54cm(L)x4cm(Dia.)	Red Flash-Red Steady-Torch-Green steady-OFF
HPS-WB54404	54cm(L)x4cm(Dia.)	Red Flash-Red Steady-Green Steady-OFF



Model No	Size	Working Style
HPS-WB52301	52cm(L)x3cm(Dia.)	Red Flash-Red Steady-OFF
HPS-WB52302	52cm(L)x3cm(Dia.)	Red Flash-Red Steady-Torch(On Top)-OFF
HPS-WB52303	52cm(L)x3cm(Dia.)	Red Flash-Red Steady-Torch-Green-OFF
HPS-WB52304	52cm(L)x3cm(Dia.)	Red Flash-Red Steady-Green Steady-OFF



www.hpssafety.com

BARRIER



HPS-TC50PE

Height:500mm(20inch)
Base Size:260x280mm
Total Weight:1.5kgs



HPS-TC75PE

Height:750mm(29.5inch)
Base Size:380x360mm
Total Weight:2.5kgs



HPS-TC100PE

Height:1000mm(39.5inch)
Base Size:480x460mm
Total Weight:5.0kgs



HPS-TC70PVC-B

Height:700mm(28inch)
Base Size:360x360mm
Total Weight:3.3kgs/3.8kgs



HPS-TC75PVC-BL

Height:750mm(29.5inch)
Base Size:390x390mm
Total Weight:4.8kgs/4.8kgs



HPS-TC90PVC-B

Height:900mm(36 inch)
Base Size:390x390mm
Total Weight: 4.3kgs/4.8kgs



HPS-TC70PVC-R
 Height:750mm(28inch)
 Base Size:360x360mm
 Total Weight:2.2kgs



HPS-TC45PVC-R
 Height:450MM(18inch)
 Base Size:280x280mm
 Total Weight:1.0kgs



HPS-TC30PVC-R
 Height:300MM(12inch)
 Base Size:220x220mm
 Total Weight:0.6kgs



HPS-WC110W
 Material:PE&RUBBER
 Height:1150mm
 Post Dia:100mm
 Base Size:
 42cmX42cmX3cm - 5.0kgs
 44cmX44cmX3cm - 6.0kgs
 48cmX48cmX3cm - 8.0kgs



HPS-TC50PP
 Height:500mm
 Base Size:28.8cmx28.5cmx1cm
 Total Weight:500g-600g



HPS-TC30PP
 Height:300mm
 Base Size:23cmx23cmx1cm
 Total Weight:250g-300g



HPS-WC872
 Height:720mm
 Weight:1.5kgs
 Post Dia:100mm



HPS-WC150
 Material:PE&RUBBER
 Height:1150mm
 Post Dia:100mm
 Base Size:
 42cmX42cmX3cm - 5.0kgs
 44cmX44cmX3cm - 6.0kgs
 48cmX48cmX3cm - 8.0kgs



HPS-WC4SEVA
Material: EVA
Height: 450mm
Post Dia: 80mm
Base Size: 200mm
Weight: 0.46kgs



HPS-WC6SEVA
Material: EVA
Height: 650mm
Post Dia: 80mm
Base Size: 200mm
Weight: 0.56kgs



HPS-WC7SEVA
Material: EVA
Height: 750mm
Post Dia: 80mm
Base Size: 200mm
Weight: 0.62kgs



HPS-WC7BEVA
Material: EVA
Height: 750mm
Post Dia: 80mm
Base Size: 200mm
Weight: 0.71kgs



HPS-WC80
Material: PPS/PE
Height: 800mm
Post Dia: 40mm
Base Size:
28cmx28cmx5cm
Base Weight:
[Empty Base: 0.34kgs]
Concrete Base: 2.54kgs



HPS-WC88PER
Material: PE&RUBBER
Height: 800mm
Post Dia.: 105mm
Base Size: 280mm
Weight: 2.90kgs



HPS-WC95PER
Material: PE&RUBBER
Height: 950mm
Post Dia.: 105mm
Base Size: 260mm
Weight: 3.0kgs

HPSTS

www.hpssafety.com

BOLLARD





www.hpssafety.com

ROAD STUD



HPS-R5003

Material: Acrylic
Size: 100x100x20mm
Weight: 170g



HPS-R5004

Material: Aluminum
Size: 100x100x20mm
Weight: 335g



HPS-R5001

Material: ABS
Size: 100x100x20mm
Weight: 95g



HPS-R50011

Material: ABS
Size: 100x100x20mm
Weight: 95g



HPS-R50012

Material: ABS
Size: 100x100x20mm
Weight: 240g



HPS-R5002

Material: ABS
Size: 100x100x20mm
Weight: 95g



HPS-GD001

Material: ABS
Size: 100x70x50mm
Weight: 32g



HPS-R5001

Material: ABS
Size: Dia: 55mm
Weight: 12g

PLASTIC CHAIN



Model No	Material	Dia	In-Length	Out-Width
HPS-PC3MM	PE	3mm	13mm	11mm
HPS-PC4MM	PE	4mm	16mm	14mm
HPS-PC5MM	PE	5mm	27mm	20mm
HPS-PC6MM	PE	6mm	38mm	27mm
HPS-PC10MM	PE	10mm	49mm	37mm
HPS-PC12MM	PE	12mm	65mm	40mm

HPSTS

www.hpssafety.com



CONVEX MIRROR




HPS-CM30




HPS-CM45

Model No	Diameter	Usage
HPS-CM30	300mm	INDOOR
HPS-CM45	450mm	INDOOR
HPS-CM60	600mm	INDOOR
HPS-CM80	800mm	INDOOR
HPS-CM100	450mm	OUTDOOR
HPS-CM120	600mm	OUTDOOR
HPS-CM150	800mm	OUTDOOR
HPS-CM180	1000mm	OUTDOOR
HPS-CM210	1200mm	OUTDOOR

Installation method



PLASTIC EXPANDABLE BARRICADE



Model No	Size	Weight	Material
HPS-PEB100290	100x200cm	2.7kgs	PC

RETRACTABLE BARRIER



Diameter	Legth	Height	Material
10cm	3m/5m	24cm	PP & ABS

HPSTS

www.hpssafety.com




CONE BAR



Model No	Size
HPS-CB-34213	φ 34mm x 2.13m
HPS-CB-40213	φ 40mm x 2.13m
HPS-CB-54213	φ 54mm x 2.13m



Model No	Size
HPS-CBE-344021301	φ 34mm / φ 40mm x 2.13m



ITEM	MESH SIZE(MM)	WEIGHT(G/M ²)	SIZE
SR100-06135	55x35	126	1x50
SR110-06135	55x35	110	1x50
SR120-06135	55x35	126	1x50
SR130-06135	55x35	136	1x50
SR140-06135	55x35	146	1x50
SR150-06135	55x35	156	1x50
SR120-07040	70x40	129	1x50
SR140-07040	70x40	140	1x50
SR160-07040	70x40	150	1x50
SR120-08045	80x45	129	1x50
SR140-08045	80x45	140	1x50
SR160-08045	80x45	150	1x50
SR200-08045	80x45	205	1x50
SR240-08045	80x45	240	1x50



ITEM	MESH SIZE(MM)	WEIGHT(G/M ²)	SIZE
SR080-10040	100x40	80	1x50
SR100-10040	100x40	100	1x50
SR140-10040	100x40	140	1x50
SR160-08026	80x26	130	1x50
SR120-08026	80x26	120	1x50
SR140-07026	70x26	140	1x50
SR160-07026	70x26	160	1x50
SR140-08026	80x26	140	1x50
SR120-70026	70x26	110	1x50
SR140-08040	80x40	140	1x50
SR160-08026	80x26	160	1x50
SR210-06026	60x26	210	1x50



www.hpsafety.com

WARNING TAPE



Many different size and thickness available for these products. We can also produce other sizes according to customer's requirements.



CAUTION TAPE

Width:50mm Length:200m Thickness:0.03mm
 Width:70mm Length:200m Thickness:0.03mm
 Width:75mm Length:200m Thickness:0.03mm
 Width:75mm Length:300m Thickness:0.05mm



CAUTION TAPE

Width:50mm Length:200m Thickness:0.03mm
 Width:75mm Length:200m Thickness:0.03mm
 Width:75mm Length:300m Thickness:0.05mm



Underground Warning Tape

Width:50mm Length:200m Thickness:0.1mm
 Width:75mm Length:300m Thickness:0.1mm
 Width:100mm Length:300m Thickness:0.1mm
 Width:150mm Length:300m Thickness:0.1mm



CAUTION TAPE

Width:50mm Length:200m Thickness:0.03mm
 Width:70mm Length:200m Thickness:0.03mm
 Width:75mm Length:300m Thickness:0.05mm



www.hpssafety.com

SAFETY VEST

Many different weight and style available for these products.
We can also produce other sizes according to customer's requirements.

Safe and comfortable breathe freely



HPS-SV0321

HPS-SV0410B

HPS-SV0410C



HPS-SV0321



HPS-SV0410A



HPS-SV1311



HPS-SV1311



HPS-SV0422



HPS-SV0415A



www.hpssafety.com

SCAFFOLD SAFETY SERIES



1



2



3



4



5



6



7



8



9



10



11



12




13



14

Photo	Product	Description	Photo	Product	Description
1	Ladder Tag	210mm x 57mm x 2.2mm	8	Scaffolding Rebar Cap	8mm-16mm/16mm-32mm
2	Safety tag	305mm x 215mm x 2.2mm	9	Scaffolding Tube End Cap	48.3mm x 27mm
3	Safety tag	285mm x 155mm x 2.2mm	10	Screw Thread End Cap	To fit 1/2" bolt
4	Scaffolding Tag	305mm X 90mm x 2.2mm	11	Scaffolding Tube End Cap	50mm x 55mm
5	Scaffolding plastic footplates	210mm X 210mm	12	Scaffolding Rebar Cap	19mm-25mm
6	Scaffolding Coupler Cover	Fit to 48.3mm Couplers	13	Scaffolding Rebar Cap	19mm-18mm/16mm-30mm
7	Scaffolding Rebar Cap	16mm	14	Scaffolding Rebar Cap	16mm



www.hpssafety.com

EARPLUG



HPS-EP002



HPS-EP001



HPS-EP003

Photo	Product	Description
15	Safety Brick Guard	1020mm X 920mm
16	Gloves Clip HPS-GC004	110mm X 52mm
17	Gloves Clip HPS-GC002	157mm X 35mm
18	Gloves Clip HPS-GC001	140mm X 35mm
19	Gloves Clip HPS-GC009	145mm X 32mm
20	Gloves Clip HPS-GC006	100mm X 35mm
21	Gloves Clip HPS-GC003	135mm X 35mm
22	Gloves Clip HPS-GC007	125mm X 22mm
23	Gloves Clip HPS-GC008	132mm X 27mm
24	Gloves Clip HPS-GC005	115mm X 35mm



www.hpssafety.com

PERSONAL PROTECTION



HPS-B1002

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	40	52X46X50cm	12/10kgs



HPS-B1004

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	50	52X44X55cm	18/17kgs



HPS-B1021

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	30	52X44X55cm	12/10kgs



HPS-B1023

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	50	52X44X55cm	18/15kgs



HPS-B1019

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	30	52X46X51cm	18/17kgs



HPS-B1005

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	60	52X44X55cm	15/14kgs



HPS-B1050

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	40	60X46X38cm	11.5/10.5kgs

special for kids



HPS-B1015

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	50	52X42X44cm	11/10kgs

special for kids

HPSTS

www.hpssafety.com

PERSONAL PROTECTION





HPS-D2002

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	240	63x34x38cm	11/10kgs



HPS-C0904

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	300	48X32X37cm	12/10kgs



HPS-C0029

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	300	48X34X35cm	12/10kgs



HPS-D2007

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	300	48X34X36cm	14/10kgs



HPS-D2002-1

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	240	63X34X38cm	12/10kgs



HPS-D3005

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	200	37X31X35cm	14/10kgs



HPS-D2003

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	240	68X34X49cm	11/10kgs
SLIDING CARD	240	68X34X48cm	5/4kgs



HPS-C0901

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	240	63X34X38cm	11/10kgs
HEADER CARD	240	63X34X38cm	9/9kgs
SLIDING CARD	100	50X30X36cm	5/4kgs



HPS-3001

PACKING	PCS/CTN	CARTON SIZE	G.W/N.W
PLASTIC BAG	200	37X31X35cm	14/10kgs

Many different weight and style available for these products. We can also produce other sizes according to customer' s requirements.



HPS-DM0012



HPS-DM0031



HPS-DM0031



HPS-DM0011



HPS-DM0021



HPS-DM0041



HPS-DM0051

HPSTS

www.hpsafety.com

PERSONAL PROTECTION





HPS-J134001

*Webbing Width:45mm Material:100%Polyester
 Color:Red/Blue
 *1 rear attachment point with 4 adjustable point
 *With soft work-position belt,2 D-ring point
 *Metallic fittings:alloy steel,zinc-plated
 *CE /EN361 EN358



HPS-D125001

*Webbing Width:45mm Material: 100%Polyester
 Color : Orange/Black
 *1 Rear attachment point, 2 attachment point on front waist, with 5 adjustable point
 * Metallic fittings:alloy steel,zinc plated



HPS-D125001

*Webbing Width: 45mm Material: 100%Polyester
 Color : Yellow/Black
 *1 Rear attachment point, 2 attachment point on front waist, with 5 adjustable point
 * Metallic fittings:alloy steel,zinc plated



HPS-D114001

*Webbing Width: 45mm Material: 100%Polyester
 Color : Yellow / Green
 *1 Rear attachment point with 4 adjustable point
 * Metallic fittings:alloy steel,zinc plated
 * CE /EN361



HPS-D113004

*Webbing Width: 50mm Material: 100%Polyester
 Color : Green
 *1 Rear attachment point ,with 3 adjustable point
 *Snapping snap hook: middle size
 *Metallic fittings: alloy steel, Chrome plated



HPS-J113053

*Webbing Width: 50mm Material: 100%Polyester
 Color : Green/Yellow
 *1 Rear attachment point ,with 3 adjustable point
 *Safety rope : ϕ13mm Length: 150cm
 *Safety carabiner, Forged snap hook:Large size
 *Metallic fittings: alloy steel, Chrome plated

HPSTS

www.hpssafety.com

SAFETY HARNESS



CARGO LASHING BELT

Material: PP or PE
 Size:2" X 8m; 2" X 10m



2010 © Copyright HpsSafety.com All Rights Reserved.

TEL:+86 571 89774051 FAX:+86 571 89774052

ADDRESS: Room406, D Bldg., No.11 Xiyuan 8th Road, West Lake Science & Technology Park, West Lake District, Hangzhou, Zhejiang, China

Email:hps01@hpsunionpower.com